


Nooie Smart Power Strip SA10


Quick Start Guide



nooie

Product Overview

Product Overview



Product Features



Setup

Note: 5GHz network is not supported.

1. Scan the QR codes or go to the App Store to download the Nooie Home app. Create an account to add your device.
2. Plug your device directly into a three-pronged grounded outlet.
3. Follow the instructions in the app to connect the device to your network.



LED Indicator



Flashing White
Connecting in progress.



Steady White
The device is working properly.

Key Specifications

Model	SA10
Color	White and beige
Wi-Fi Requirement	2.4GHz
Input Voltage	120V AC 10A 60Hz
Maximum Output	120V AC 10A 1200W
USB Port	5V --- 2.4A
Compatibility	iOS, Android
Working Temp	-10 ~ 40°C
Product Weight	430g
Product Dimensions	155 x 105 x 33.6mm

Customer Care

Have any questions?

Check out the FAQ on our website:
www.nooie.com/support

Want to give your feedback?

Tag us #nooie on social media.



Need more help?

Contact us at support@nooie.com

Warning

1. Use your smart power strip only in indoor environments.
2. Keep away from water and flames that may cause fire, electric shock, or other damage.
3. Make sure the appliance is off before you plug it into the power strip.
4. Do not use the power strip to operate appliances (e.g. stoves, heaters) where continuous or unsupervised operation could be dangerous.
5. If the power cord is damaged, it must be replaced by the manufacturer or a qualified service engineer to avoid any risks to safety.
6. The LED module cannot be replaced.
7. Please do not disassemble the product.

* Please read this manual carefully before using the product.



Electrical equipment designed for indoor use only.



Alternating Current



Direct Current



The product should not be disposed of in a landfill. Please recycle or dismantle the product to minimize its impact on the environment.

Warranty Terms

1. 30-day return policy and a two-year limited warranty.
2. Timely customer service via support@nooie.com
3. Lifetime technical support provided by Nooie.

FCC Statement:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: Reorient or relocate the receiving antenna. Increase the separation between the equipment and receiver. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. Consult the dealer or an experienced radio/TV technician for help.

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment complied with FCC radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with minimum distance 20cm between the radiator & your body. The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

This device has been evaluated and shown compliant with the FCC RF Exposure limits under fixed exposure conditions (antennas are greater than 20cm from a person's body) when installed in certain specific OEM configurations. This modular complies with FCC RF radiation exposure limits set forth for an uncontrolled environment.


This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. Due to missing shielding the module is strictly limited to integration by the Grantee himself or his dedicated OEM integrator under control of the Grantee. However, the OEM integrator is still responsible for testing their end-product for any additional compliance requirements required with this module installed.

Works with Nooie

amazon alexa

Google Assistant

* Please see instructions in the app under the device settings to connect your device to the supported third-party controls.





Website: www.nooie.com
Email: support@nooie.com

Designed in USA Made in China